

**BOQ FOR PROVIDING , INSTALLATION , TESTING & COMMISSIONING OF
FM-200 AUTOMATIC FIRE SUPPRESSION SYSTEM FOR SERVER ROOM
AT 2ND FLOOR, SBP BSC (BANK), GUJRANWALA.**

Sr. No.	DESCRIPTION	Qty.	Unit	Rate in Rupees		Amount
				In figures	In words	
1.	<p>Providing, installation, testing and commissioning of Automation Fire Suppression system based on FM-200 (HFC 227 EQ) and consisting of minimum</p> <ul style="list-style-type: none"> • 60 Kg FM 200 (HFC227EQ) Cylinder (Tested and painted in red) • Ionization Smoke Detectors 2 Nos. • Optical Smoke Detectors 2 Nos. • Heat detectors 2 Nos. • Fire Alarm Bell 1 No. • Siren / Hooter 1 No. • Automatic Discharge Nozzles 4 Nos. <p>Complete with Fire Extinguisher Control Panel, high rated Discharge Valve, Auto / Manual Actuator with Explosive Cartridge, Pressure Gauge, Pressure Switch, Discharge Hose, Protection Cap, Wall Bracket etc. suitable for IT Server Room 20.7 x 14.2 Ft.' size x 8.3 Ft'' ceiling height, all complete including cost of accessories and as directed by the Engineer-in-Charge.</p>	1	JOB			
Total Rs.						

For State Bank of Pakistan,
SBP BSC (Bank)
Gujranwala

Contractor's Seal and Signature