



**STATE BANK OF PAKISTAN
SBP-BSC (BANK)
FAISALABAD.**

RETENDER NOTICE

**LAYING / REPLACEMENT OF DAMAGED CC / BRICKS PAVEMENT OF OLD BUILDING
AT STATE BANK OF PAKISTAN SBP BSC (BANK) FAISALABAD.**

State Bank of Pakistan SBP BSC (Bank) Faisalabad invites sealed quotations from approved contractors/contracting firms of Pak P.W.D, M.E.S. Provincial P.W.D. Quasi Government Bodies, State Bank of Pakistan or any other reputed organizations experienced in the captioned job.

The amount of Earnest Money for the job is 2% of the amount quoted in the Tender which should be deposited by the bidder either in cash or in the form of Bank Draft/Payment Order in favor of State Bank of Pakistan SBP BSC (Bank), Faisalabad. The BOQ and other terms and conditions of the work can be obtained on payment of Rs. 200/- (Non refundable) from the office during office hours on or before **27-12-2011**

The tender with requisite Earnest Money and documents of experience in similar works executed etc; addressed to the Chief Manager State Bank of Pakistan SBP BSC (Bank) Faisalabad should be submitted in a sealed cover duly signed and marked with the subject, either personally or through Registered Post / TCS so as to reach in the office of the Chief Manager on or before **28-12-2011** at 11.30 am. Tenders will be opened on the same day at 11.30 am in the presence of those bidders who may like to be present. Bidders are also required to submit the status of their firm/company with evidence along with their tenders. No tender document shall be sold / issued on the date fixed for opening of tenders. Incomplete, conditional and tenders without earnest money shall not be considered at all. Rates quoted should be inclusive of all taxes and should be valid for a period of 180 days. This is only an invitation to offer and the Bank reserves the right to reject any or all tenders as per PPRA rules. The Security Deposit @5% of work done will be deducted from the bill which will be released after 6 months from date of job completion subject to satisfactory / defect free condition of the executed work. The completion period for the work is 2 months.

**S/d
Chief Manager**

Dated;



“INSTRUCTIONS FOR BIDDERS”

1. All bidders should first visit the site / building in order to fully understand and to know the exact nature, type and quantum of work.
2. If the bidder needs any clarification / information, he should contact the Bank well before the date of opening of quotations.
3. Quoted price should be inclusive of all Government taxes, levies etc, as applicable.
4. Quoted price should be firm and final and no rebate will be accepted after the opening of quotation.
5. Quoted rates should be valid for 180 days.
6. Quoted price should be mentioned in words and figures both. In case of error price mentioned in words will be considered as correct.
7. Time for the completion of job is 2 months.
8. The source of sand shall be local and crushed stone of Sargodha.
9. Payment of running bills shall be allowed.

CONTRACTOR’S SIGNATURE

**LAYING / REPLACEMENT OF DAMAGED CC / BRICKS PAVEMENT OF OLD BUILDING
AT STATE BANK OF PAKISTAN SBP BSC (BANK) FAISALABAD.**

BOQ

S #	Description	Unit	Qty	Unit Rate (Rs)	Total Quoted Amount (Rs)
1	Provide and laying of 4" thick (average) 1:2:4 concrete pavement in panels approximate size as 10' x 10' and 40 Grade ¼" diameter ribbed MS bars @ 9" C/C shall be used / embedded in the middle of concrete thickness. The existing damaged CC / brick pavement / curbstone to be dismantled if required to achieve surface drainage gradient. Additional joints 1/8" x ¼" shall be cut with the help of floor cutting machine disc. Pure sand to be filled in depressions if required and curing shall be done for 7 days. The top concrete surface shall be truly smooth & without any cracks complete in all respect as directed by the Engineer in Charge.	Sft	7500		
2	Provide and laying of 2" thick approved design CC tough tiles for footpath / plinth protection over 4" thick pure sand with PCC 1:3:6 base 2" thick complete in all respect as directed by the Engineer in Charge.	Sft	650		
3	Supply & fixing of 12 " x 6"x 18" curbstone over 2" thick 1:3:6 PCC alongside the pavement in true line / level / plumb including enamel painting complete in all respect as directed by the Engineer in Charge.	Rft	600		
4	Supply and fixing of heavy duty 2' diameter CI manhole covers complete in all respect as directed by the Engineer in Charge.	No	8		
Total					

(N.B; Rubbish to be disposed of outside bank premises)

CONTRACTOR'S SIGNATURE

