

LIDIX JL-2F

Denomination	Criteria	ATM Level	Re-issued (Fitness Level)
5000	Soil	12	10
	Corner	10	10
	Tear	10	10
	Hole	10	10
	Mutilation	10	10
	Tape	10	10
	Stain	11	5
	Graffiti	14	1
	De-Inked	10	10
	Stamp	14	1
1000	Soil	14	11
	Corner	10	10
	Tear	10	10
	Hole	10	10
	Mutilation	10	10
	Tape	10	10
	Stain	12	3
	Graffiti	14	1
	De-Inked	10	10
	Stamp	14	1
500	Soil	15	10
	Corner	10	10
	Tear	10	10
	Hole	10	10
	Mutilation	10	10
	Tape	10	10
	Stain	13	8
	Graffiti	15	1
	De-Inked	15	15
	Stamp	15	1
100	Soil	12	8
	Corner	10	10
	Tear	10	10
	Hole	10	10
	Mutilation	10	10
	Tape	10	10
	Stain	8	5
	Graffiti	14	1
	De-Inked	15	15
	Stamp	14	1
	Soil	10	9
	Corner	10	10
	Tear	10	10

50	Hole	10	10
	Mutilation	10	10
	Tape	10	10
	Stain	8	6
	Graffiti	14	1
	De-Inked	10	10
	Stamp	14	1
20	Soil	12	9
	Corner	10	10
	Tear	10	10
	Hole	10	10
	Mutilation	10	10
	Tape	10	10
	Stain	8	5
	Graffiti	14	1
	De-Inked	15	15
	Stamp	14	1
10	Soil	12	9
	Corner	10	10
	Tear	10	10
	Hole	10	10
	Mutilation	10	10
	Tape	10	10
	Stain	8	5
	Graffiti	14	1
	De-Inked	15	15
	Stamp	14	1