

TouchPoint's Cadepo with SNBC BNE-S110M					
Denomination	Criteria	Low		Medium/High	
		ATM	FIT	ATM	FIT
10	Soil	185	10	185	10
	Stain	160	1	160	1
	UnfilCorner	230	210	230	210
	FoldCorner	230	210	230	210
	Mutilation	220	210	220	210
	Tear	220	210	235	235
	Tape	180	180	180	180
	Tape 1	50	50	50	50
	Hole	235	220	235	220
20	Soil	185	10	185	10
	Stain	160	1	160	10
	UnfilCorner	230	210	230	210
	FoldCorner	230	210	230	210
	Mutilation	220	210	220	210
	Tear	220	210	235	235
	Tape	180	180	180	180
	Tape 1	50	50	50	50
	Hole	235	220	235	220
50	Soil	185	10	185	10
	Stain	160	1	160	1
	UnfilCorner	230	210	230	210
	FoldCorner	230	210	230	210
	Mutilation	220	210	220	210
	Tear	220	210	235	235
	Tape	180	180	180	180
	Tape 1	50	50	50	50
	Hole	235	220	235	220

100	Soil	185	10	185	85
	Stain	160	1	160	1
	UnfilCorner	230	210	230	210
	FoldCorner	230	210	230	210
	Mutilation	220	210	220	210
	Tear	220	210	235	235
	Tape	180	180	180	180
	Tape 1	50	50	50	50
	Hole	235	220	235	220
500	Soil	185	55	185	55
	Stain	160	1	160	1
	UnfilCorner	230	210	230	210
	FoldCorner	230	210	230	210
	Mutilation	220	210	220	20
	Tear	220	210	235	235
	Tape	180	180	180	180
	Tape 1	50	50	50	50
	Hole	235	220	235	220
1000	Soil	185	65	185	65
	Stain	160	1	160	1
	UnfilCorner	230	210	230	210
	FoldCorner	230	210	230	210
	Mutilation	220	210	220	20
	Tear	220	210	235	235
	Tape	180	180	180	180
	Tape 1	50	50	50	50
	Hole	235	220	235	220

5000	Soil	185	65	185	65
	Stain	160	1	160	1
	UnfilCorner	230	210	230	210
	FoldCorner	230	210	230	210
	Mutilation	220	210	220	210
	Tear	220	210	235	235
	Tape	180	180	180	180
	Tape 1	50	50	50	50
	Hole	235	220	235	220
75	Soil	185	65	185	65
	Stain	160	1	160	1
	UnfilCorner	230	210	230	210
	FoldCorner	230	210	230	210
	Mutilation	220	210	220	210
	Tear	220	210	235	235
	Tape	180	180	180	180
	Tape 1	50	50	50	50
	Hole	235	220	235	220