

**Hitachi MS - 4200**

Denomination	Fitness Criteria	FIT	ATM-FIT
5000	Corner	65	70
5000	Tear	75	90
5000	Hole	50	60
5000	Shrink	60	70
5000	Tape	50	50
5000	Soil	60	90
5000	Stain	60	90
5000	Speck	0	0
5000	Graffiti	75	95
5000	De-Inked	60	75
5000	Flour	52	52
5000	OVD Damage	0	1
5000	Desecrated	50	50
1000	Corner	60	70
1000	Tear	75	90
1000	Hole	50	60
1000	Shrink	50	50
1000	Tape	55	55
1000	Soil	52	78
1000	Stain	51	78
1000	Speck	0	0
1000	Graffiti	55	87
1000	De-Inked	60	75
1000	Flour	50	50
1000	OVD Damage	0	1
1000	Desecrated	50	50
500 (2009)	Corner	60	70
500 (2009)	Tear	75	90
500 (2009)	Hole	50	60
500 (2009)	Shrink	50	50
500 (2009)	Tape	50	50
500 (2009)	Soil	60	98
500 (2009)	Stain	70	90
500 (2009)	Speck	0	0
500 (2009)	Graffiti	65	90
500 (2009)	De-Inked	60	75
500 (2009)	Flour	50	50
500 (2009)	OVD Damage	0	1
500 (2009)	Desecrated	50	50
500 (2006)	Corner	60	70
500 (2006)	Tear	75	90
500 (2006)	Hole	50	60
500 (2006)	Shrink	50	50
500 (2006)	Tape	50	50

500 (2006)	Soil	60	98
500 (2006)	Stain	62	90
500 (2006)	Speck	0	0
500 (2006)	Graffiti	65	90
500 (2006)	De-Inked	60	75
500 (2006)	Flour	50	50
500 (2006)	OVD Damage	0	1
500 (2006)	Desecrated	50	50
100	Corner	60	70
100	Tear	75	90
100	Hole	50	60
100	Shrink	50	50
100	Tape	50	50
100	Soil	60	85
100	Stain	50	75
100	Speck	0	0
100	Graffiti	55	70
100	De-Inked	60	75
100	Flour	50	50
100	OVD Damage	0	1
100	Desecrated	50	50
50	Corner	60	70
50	Tear	75	90
50	Hole	50	60
50	Shrink	50	50
50	Tape	50	50
50	Soil	50	85
50	Stain	50	75
50	Speck	0	0
50	Graffiti	50	70
50	De-Inked	60	75
50	Flour	50	50
50	OVD Damage	0	1
50	Desecrated	50	50
20	Corner	60	70
20	Tear	75	90
20	Hole	50	60
20	Shrink	50	50
20	Tape	50	50
20	Soil	45	85
20	Stain	45	75
20	Speck	0	0
20	Graffiti	55	70
20	De-Inked	60	75
20	Flour	50	50
20	OVD Damage	0	1
20	Desecrated	50	50

10	Corner	60	70
10	Tear	75	90
10	Hole	50	60
10	Shrink	50	50
10	Tape	50	50
10	Soil	45	85
10	Stain	45	75
10	Speck	0	0
10	Graffiti	50	70
10	De-Inked	60	75
10	Flour	50	50
10	OVD Damage	0	1
10	Desecrated	50	50