

LIDIX GL-6 Pro

S/No	Denomination	Criteria	ATM Level	Re-issued (Fitness Level)
1	5000	Soil	17	13
		Corner	10	10
		Tear	10	10
		Hole	10	10
		Mutilation	10	10
		Tape	10	10
		Stain	10	10
		Graffiti	10	5
		De-Ink	15	15
		Stamp	10	5
2	1000	Soil	16	13
		Corner	10	10
		Tear	10	10
		Hole	10	10
		Mutilation	10	10
		Tape	10	10
		Stain	10	10
		Graffiti	10	5
		De-Ink	15	15
		Stamp	10	5
3	500	Soil	16	12
		Corner	10	10
		Tear	10	10
		Hole	10	10
		Mutilation	10	10
		Tape	10	10
		Stain	10	10
		Graffiti	10	5
		De-Ink	15	15
		Stamp	10	5
4	100	Soil	15	11
		Corner	10	10
		Tear	10	10
		Hole	10	10
		Mutilation	10	10
		Tape	10	10
		Stain	10	10
		Graffiti	10	5
		De-Ink	15	15
		Stamp	10	5
		Soil	14	10
		Corner	10	10

5	50	Tear	10	10
		Hole	10	10
		Mutilation	10	10
		Tape	10	10
		Stain	10	10
		Graffiti	10	5
		De-Ink	15	15
		Stamp	10	5
6	20	Soil	14	10
		Corner	10	10
		Tear	10	10
		Hole	10	10
		Mutilation	10	10
		Tape	10	10
		Stain	10	10
		Graffiti	10	5
		De-Ink	15	15
		Stamp	10	5
7	10	Soil	14	10
		Corner	10	10
		Tear	10	10
		Hole	10	10
		Mutilation	10	10
		Tape	10	10
		Stain	10	10
		Graffiti	10	5
		De-Ink	15	15
		Stamp	10	5