

LIDIX GL-9

Denomination	Criteria	ATM Level	Re-issued (Fitness Level)
5000	Soil	17	13
5000	Corner	10	10
5000	Tear	10	10
5000	Hole	10	10
5000	Mutilation	10	10
5000	Tape	10	10
5000	Stain	10	10
5000	Graffiti	10	5
5000	De-Ink	15	15
5000	Stamp	10	5
1000	Soil	16	13
1000	Corner	10	10
1000	Tear	10	10
1000	Hole	10	10
1000	Mutilation	10	10
1000	Tape	10	10
1000	Stain	10	10
1000	Graffiti	10	5
1000	De-Ink	15	15
1000	Stamp	10	5
500	Soil	16	12
500	Corner	10	10
500	Tear	10	10
500	Hole	10	10
500	Mutilation	10	10
500	Tape	10	10
500	Stain	10	10
500	Graffiti	10	5
500	De-Ink	15	15
500	Stamp	10	5
100	Soil	15	11
100	Corner	10	10
100	Tear	10	10
100	Hole	10	10
100	Mutilation	10	10
100	Tape	10	10
100	Stain	10	10
100	Graffiti	10	5
100	De-Ink	15	15
100	Stamp	10	5
50	Soil	14	10
50	Corner	10	10
50	Tear	10	10
50	Hole	10	10
50	Mutilation	10	10
50	Tape	10	10
50	Stain	10	10

50	Graffiti	10	5
50	De-Ink	15	15
50	Stamp	10	5
20	Soil	14	10
20	Corner	10	10
20	Tear	10	10
20	Hole	10	10
20	Mutilation	10	10
20	Tape	10	10
20	Stain	10	10
20	Graffiti	10	5
20	De-Ink	15	15
20	Stamp	10	5
10	Soil	14	10
10	Corner	10	10
10	Tear	10	10
10	Hole	10	10
10	Mutilation	10	10
10	Tape	10	10
10	Stain	10	10
10	Graffiti	10	5
10	De-Ink	15	15
10	Stamp	10	5