

BNE-S110

Denomination	Criteria	ATM	FIT
10	Watermark	140	110
10	De-Ink	140	110
10	Thick	120	80
10	M/C	230	210
10	D-ear	230	210
10	M-Edge	220	210
10	Tear	220	210
10	Soil 1	215	125
10	Stain	234	125
10	Graffiti	180	130
10	Hole	100	800
10	Fold	0	0
10	Wrinkle	0	0
10	Coal	0	0
10	Splice	0	0
20	Watermark	140	110
20	De-Ink	140	110
20	Thick	120	80
20	M/C	230	210
20	D-ear	230	210
20	M-Edge	220	210
20	Tear	220	210
20	Soil 1	215	140
20	Stain	234	140
20	Graffiti	180	135
20	Hole	100	80
20	Fold	0	0
20	Wrinkle	0	0
20	Coal	0	0
20	Splice	0	0
50	Watermark	140	100
50	De-Ink	140	100
50	Thick	120	80
50	M/C	230	210
50	D-ear	230	210
50	M-Edge	220	210
50	Tear	220	210
50	Soil 1	190	100
50	Stain	190	100
50	Graffiti	180	110
50	Hole	100	80
50	Fold	0	0
50	Wrinkle	0	0

50	Coal	0	0
50	Splice	0	0
100	Watermark	140	110
100	De-Ink	140	110
100	Thick	120	80
100	M/C	230	210
100	D-ear	230	210
100	M-Edge	220	210
100	Tear	220	210
100	Soil 1	215	120
100	Stain	234	120
100	Graffiti	180	120
100	Hole	100	80
100	Fold	0	0
100	Wrinkle	0	0
100	Coal	0	0
100	Splice	0	0
500	Watermark	140	110
500	De-Ink	140	110
500	Thick	120	80
500	M/C	230	210
500	D-ear	230	210
500	M-Edge	220	210
500	Tear	220	210
500	Soil 1	215	125
500	Stain	234	125
500	Graffiti	180	130
500	Hole	100	80
500	Fold	0	0
500	Wrinkle	0	0
500	Coal	0	0
500	Splice	0	0
1000	Watermark	140	110
1000	De-Ink	140	110
1000	Thick	120	80
1000	M/C	230	210
1000	D-ear	230	210
1000	M-Edge	220	210
1000	Tear	220	210
1000	Soil 1	215	125
1000	Stain	234	125
1000	Graffiti	180	130
1000	Hole	100	80
1000	Fold	0	0
1000	Wrinkle	0	0
1000	Coal	0	0

1000	Splice	0	0
5000	Watermark	140	110
5000	De-Ink	140	110
5000	Thick	120	80
5000	M/C	230	210
5000	D-ear	230	210
5000	M-Edge	220	210
5000	Tear	220	210
5000	Soil 1	215	125
5000	Stain	234	125
5000	Graffiti	180	130
5000	Hole	100	80
5000	Fold	0	0
5000	Wrinkle	0	0
5000	Coal	0	0
5000	Splice	0	0