

SORT PARAMETERS – SNBC CDM MACHINE MODEL BDM-500 (CASH BAG)

Denom	Type	Low/Medium/High	
		ATM	FIT
PKR2022_75	soil0	185	65
	stain0	160	1
	unfilcorner0	230	210
	foldcorner0	230	210
	mutilation0	220	210
	tear0	220	210
	tape0	180	180
	tape1	50	50
hole0	235	220	
PKR2023_75	soil0	185	65
	stain0	160	1
	unfilcorner0	230	210
	foldcorner0	230	210
	mutilation0	220	210
	tear0	220	210
	tape0	180	180
	tape1	50	50
hole0	235	220	
PKRcur_10	soil0	185	10
	stain0	160	1
	unfilcorner0	230	210
	foldcorner0	230	210
	mutilation0	220	210
	tear0	220	210
	tape0	180	180
	tape1	50	50
hole0	235	220	
PKRcur_20	soil0	185	10
	stain0	160	1
	unfilcorner0	230	210
	foldcorner0	230	210
	mutilation0	220	210
	tear0	220	210
	tape0	180	180
	tape1	50	50
hole0	235	220	
PKRcur_50	soil0	185	10
	stain0	160	1
	unfilcorner0	230	210
	foldcorner0	230	210
	mutilation0	220	210
	tear0	220	210
tape0	180	180	

	tape1	50	50
	hole0	235	220
PKRcur_100	soil0	185	10
	stain0	160	1
	unfilcorner0	230	210
	foldcorner0	230	210
	mutilation0	220	210
	tear0	220	210
	tape0	180	180
	tape1	50	50
	hole0	235	220
	PKRcur_500	soil0	185
stain0		160	1
unfilcorner0		230	210
foldcorner0		230	210
mutilation0		220	210
tear0		220	210
tape0		180	180
tape1		50	50
hole0		235	220
PKRcur_1000	soil0	185	65
	stain0	160	1
	unfilcorner0	230	210
	foldcorner0	230	210
	mutilation0	220	210
	tear0	220	210
	tape0	180	180
	tape1	50	50
	hole0	235	220
PKRcur_5000	soil0	185	65
	stain0	160	1
	unfilcorner0	230	210
	foldcorner0	230	210
	mutilation0	220	210
	tear0	220	210
	tape0	180	180
	tape1	50	50
	hole0	235	220
PKRnew_500	soil0	185	65
	stain0	160	1
	unfilcorner0	230	210
	foldcorner0	230	210
	mutilation0	220	210
	tear0	220	210
	tape0	180	180
	tape1	50	50
	hole0	235	220
	soil0	185	65
	stain0	160	1
	unfilcorner0	230	210

PKRnew_1000	foldcorner0	230	210
	mutilation0	220	210
	tear0	220	210
	tape0	180	180
	tape1	50	50
	hole0	235	220
PKRnew_5000	soil0	185	65
	stain0	160	1
	unfilcorner0	230	210
	foldcorner0	230	210
	mutilation0	220	210
	tear0	220	210
	tape0	180	180
	tape1	50	50
	hole0	235	220